



ISO/IEC 17025:2017  
 Accreditation #: 75696  
 lab@summitnutritional.com

**Report Number: 221221 019-01**  
**Date Reported: 12/27/2022 8:52:22 AM**

**Sample Details**

Product #: Natural PCT  
 Description: Natural PCT  
 Lot #: NP221130  
 Received: 12/21/2022 1:13:17 PM

**Customer Information**

Rocktomic Labs LLC  
 Private Label Supplements & Dropshipping  
 1615 Lakes Pkwy, Suite C, Lawrenceville, GA 30043  
 www.rocktomic.com

Sample Details:

**Certificate of Analysis**

Chemistry	Method	Specifications	Result	Units
<b>Heavy Metals</b>				
Arsenic	USP <2232>	< 15	0.064	ppm
Cadmium	USP <2232>	< 5	0.011	ppm
Lead	USP <2232>	< 5	< 0.001	ppm
Mercury	USP <2232>	< 15	< 0.001	ppm
<b>Physical</b>				
Serving Size	SNL.MA.210		1.00	Capsule
Identity Test By NIR	USP <1119>	Natural PCT	Confirmed	
NIR Identity Distance	USP <1119>	< 0.062968	0.011167	
NIR Identity Spectra Residual	USP <1119>	< 4.25336	1.056535	
Appearance	SNL.MA.202	Capsules	Capsules	
Color	SNL.MA.202	Tan	Tan	
Odor	SNL.MA.202	Characteristic	Characteristic	
Average Gross Weight	WI.USP.2091.02		585.50	mg
Average Net Fill Weight	WI.USP.2091.02		495.00	mg
%RSD	WI.USP.2091.02		1.6	% RSD

Microbiology	Method	Specifications	Result	Units
Total Coliform	AOAC Modified	< 1000	<100	cfu/g
Total Plate Count	AOAC Modified	< 100000	<100	cfu/g
E.coli	PCR	None Detected	None Detected	cfu/10g
Staphylococcus aureus	PCR	None Detected	None Detected	cfu/10g
Salmonella spp.	PCR	None Detected	None Detected	cfu/10g
Yeasts & Molds	Biolumix	< 10000	<10000	cfu/g

Report Approved by:   
 Joel Nelson  
 Laboratory Manager

\*= Please review Client Specifications

Report Numbers that have been revised or amended will include a revision number.

This Certificate of Analysis shall not be reproduced, except in full, without written permission from the laboratory. This Certificate of Analysis results apply to the items tested. Further information is available, upon request, when needed for the interpretation of the test results. This Certificate of Analysis is provided for the exclusive use of the addressee. The laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith.