

# Rocktomic

## Customer Information


Rocktomic Labs LLC  
Private Label Supplements & Dropshipping  
1615 Lakes Pkwy, Suite C, Lawrenceville,  
GA 30043  
www.rocktomic.com

## CERTIFICATE OF ANALYSIS

Product	Bone Support	Lot Number	240927-RT2367
Item Number	RT2367	Country of Origin	USA

TEST	SPECIFICATION	RESULTS	METHOD
<b>Identity</b>			
Capsule Appearance	Clear hard-shell capsule, size 0, filled with powder	Pass	DOC-1779 (WI-QC-017)
Powder Color	Greenish-Brown, To Match Standard	Pass	DOC-1779 (WI-QC-017)
Powder Odor	Characteristic, To Match Standard	Pass	DOC-1779 (WI-QC-017)
FingerPrint Identity	Must Conform to Standard	Conforms	UHPLC-DAD

<b>Purity</b>			
Total Aerobic Microbial Count	$\leq 1 \times 10^7$ (cfu/g)	$9.70 \times 10^3$ cfu / g	USP <2021> or equivalent
Total Combined Yeast and Mold Count	$\leq 1 \times 10^5$ (cfu/g)	< 20 cfu / g	USP <2021> or equivalent
Enterobacterial Count (Bile-Tolerant Gram Neg. Bacteria)	$\leq 1 \times 10^4$ (cfu/g)	< 20 cfu / g	02-209-01
<i>Staphylococcus aureus</i>	None detected in 10 g	None detected	USP <2022> or equivalent
<i>Escherichia coli</i>	None detected in 10 g	None detected	USP <2022> or equivalent
<i>Salmonella spp.</i>	None detected in 10 g	None detected	USP <2022> or equivalent
Lead (Pb)	$\leq 5 \mu\text{g}$ per 3 capsules	0 ug / 3 capsules	ICP-MS
Arsenic (As)	$\leq 15 \mu\text{g}$ per 3 capsules	0 ug / 3 capsules	ICP-MS
Cadmium (Cd)	$\leq 5 \mu\text{g}$ per 3 capsules	0 ug / 3 capsules	ICP-MS
Mercury (Hg)	$\leq 2 \mu\text{g}$ per 3 capsules	0 ug / 3 capsules	ICP-MS



# Rocktomic

## Customer Information

Rocktomic Labs LLC  
Private Label Supplements & Dropshipping  
1615 Lakes Pkwy, Suite C, Lawrenceville,  
GA 30043  
www.rocktomic.com

Strength			
Calcium	67-204 mg / 3 capsules	145 mg / 3 capsules	ICPMS
Vitamin K2 Assay (Menaquinone-7)	114-293 ug / 3 capsules	223 ug / 3 capsules	HPLC

Customer Approval	
Signature/Date	Final Disposition
	PASS

*This product has been reviewed and approved by Rocktomic Labs. The results reported in this certificate of analysis (COA) are truthful and representative of the lot. The finished product and all raw materials used to manufacture the batch have been found to meet required specification limits in accordance with 21 CFR 111 (cGMP) regulations and the product is released.*