



ISO/IEC 17025:2017  
 Accreditation #: 75696  
 lab@summitnutritional.com

**Report Number: 220628 013-02**  
**Date Reported: 7/5/2022 10:39:39 AM**

**Sample Details**

Product #: K2 D3  
 Description: Vitamin K+ D3  
 Lot #: K2D220612  
 Received: 6/28/2022 1:30:40 PM

**Customer Information**

Rocktomic Labs LLC  
 Private Label Supplements & Dropshipping  
 1615 Lakes Pkwy, Suite C, Lawrenceville, GA 30043  
 www.rocktomic.com

Sample Details:

**Certificate of Analysis**

| Chemistry               | Method         | Specifications | Result  | Units      |
|-------------------------|----------------|----------------|---------|------------|
| <b>Heavy Metals</b>     |                |                |         |            |
| Arsenic                 | USP <2232>     | < 15           | 0.580   | ppm        |
| Cadmium                 | USP <2232>     | < 5            | 0.176   | ppm        |
| Lead                    | USP <2232>     | < 5            | 0.169   | ppm        |
| Mercury                 | USP <2232>     | < 15           | < 0.001 | ppm        |
| <b>Minerals</b>         |                |                |         |            |
| Calcium                 | WI.ICP.409     | > 210          | 247.054 | mg/serving |
| <b>Physical</b>         |                |                |         |            |
| Serving Size            | SNL.MA.210     |                | 1.00    | Capsule    |
| Average Gross Weight    | WI.USP.2091.02 | 704.6 - 861.2  | 788.60  | mg         |
| Average Net Fill Weight | WI.USP.2091.02 | 619.3 - 757    | 697.60  | mg         |
| %RSD                    | WI.USP.2091.02 |                | 5.1     | % RSD      |

| Microbiology          | Method                 | Specifications | Result        | Units   |
|-----------------------|------------------------|----------------|---------------|---------|
| Total Plate Count     | AOAC 2015.13 Petrifilm |                | <1000         | cfu/g   |
| Total Coliform        | AOAC 2018.13 Petrifilm |                | <10           | cfu/g   |
| E.coli                | Biolumix               | None Detected  | None Detected | cfu/10g |
| Salmonella spp.       | AOAC 2013.01 <Vidas>   | None Detected  | None Detected | cfu/10g |
| Staphylococcus aureus | Biolumix               | None Detected  | None Detected | cfu/10g |
| Yeasts & Molds        | AOAC 2014.05 Petrifilm |                | <100          | cfu/g   |

Report Approved by:   
 Joel Nelson  
 Laboratory Manager

\*= Please review Client Specifications  
 Report Numbers that have been revised or amended will include a revision number.

This Certificate of Analysis shall not be reproduced, except in full, without written permission from the laboratory. This Certificate of Analysis results apply to the items tested. Further information is available, upon request, when needed for the interpretation of the test results.  
 This Certificate of Analysis is provided for the exclusive use of the addressee. The laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith.