



ISO/IEC 17025:2017
Accreditation #: 75696
lab@summitnutritional.com

Report Number: 220706 016-03
Date Reported: 7/8/2022 5:14:37 PM

Sample Details

Product #: Beet Root
Description: Organic Beetroot
Lot #: BR220621
Received: 7/6/2022 11:56:50 AM

Customer Information

Rocktomic Labs LLC
Private Label Supplements & Dropshipping
1615 Lakes Pkwy, Suite C, Lawrenceville, GA 30043
www.rocktomic.com

Sample Details:

Certificate of Analysis

Chemistry	Method	Specifications	Result	Units
Heavy Metals				
Arsenic	USP <2232>	< 15	0.075	ppm
Cadmium	USP <2232>	< 5	0.042	ppm
Lead	USP <2232>	< 5	0.131	ppm
Mercury	USP <2232>	< 15	< 0.001	ppm
Physical				
Identity Test By NIR	USP <1119>	Beet Root	Confirmed	
NIR Identity Distance	USP <1119>	< 0.117223	0.046233	
NIR Identity Spectra Residual	USP <1119>	< 2.27557	1.674599	
Appearance	SNL.MA.202	Capsules	Capsules	
Color	SNL.MA.202	Purple	Purple	
Odor	SNL.MA.202	Characteristic	Characteristic	
Average Gross Weight	WI.USP.2091.02		804.30	mg
Average Net Fill Weight	WI.USP.2091.02		681.00	mg
%RSD	WI.USP.2091.02		4.3	% RSD

Microbiology	Method	Specifications	Result	Units
Total Plate Count	AOAC 2015.13 Petrifilm	< 1.00E+07	<100000	cfu/g
Total Coliform	AOAC 2018.13 Petrifilm	< 10000	<100	cfu/g
E.coli	Biolumix	None Detected	None Detected	cfu/10g
Salmonella spp.	AOAC 2013.01 <Vidas>	None Detected	None Detected	cfu/10g
Staphylococcus aureus	Biolumix	None Detected	None Detected	cfu/10g
Yeasts & Molds	AOAC 2014.05 Petrifilm	< 50000	<100	cfu/g

Report Approved by:

Joel Nelson
Joel Nelson
Laboratory Manager

*= Please review Client Specifications

Report Numbers that have been
revised or amended will include a
revision number.

This Certificate of Analysis shall not be reproduced, except in full, without written permission from the laboratory. This Certificate of Analysis results apply to the items tested. Further information is available, upon request, when needed for the interpretation of the test results.

This Certificate of Analysis is provided for the exclusive use of the addressee. The laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith.