



ISO/IEC 17025:2017
Accreditation #: 75696
lab@summitnutritional.com

Report Number: 221103 002-02
Date Reported: 11/7/2022 9:19:35 AM

Sample Details

Product #: Mushroom Complex
Description: Mushroom Immune Booster
Lot #: MCX221011
Received: 11/3/2022 8:32:06 AM

Customer Information

Rocktomic Labs LLC
Private Label Supplements & Dropshipping
1615 Lakes Pkwy, Suite C, Lawrenceville, GA 30043
www.rocktomic.com


Sample Details:

Certificate of Analysis

Chemistry	Method	Specifications	Result	Units
Heavy Metals				
Arsenic	USP <2232>	< 15	0.105	ppm
Cadmium	USP <2232>	< 5	0.034	ppm
Lead	USP <2232>	< 5	0.034	ppm
Mercury	USP <2232>	< 15	< 0.001	ppm
Physical				
Identity Test By NIR	USP <1119>	Mushroom Complex	Confirmed	
NIR Identity Distance	USP <1119>	< 0.064558	0.053031	
NIR Identity Spectra Residual	USP <1119>	< 0.000842	0.000297	
Appearance	SNL.MA.202	Capsules	Capsules	
Color	SNL.MA.202	Brown	Brown	
Odor	SNL.MA.202	Characteristic	Characteristic	
Average Gross Weight	WI.USP.2091.02		833.00	mg
Average Net Fill Weight	WI.USP.2091.02		707.20	mg
%RSD	WI.USP.2091.02		1.4	% RSD

Microbiology	Method	Specifications	Result	Units
Staphylococcus aureus	PCR	None Detected	None Detected	cfu/10g
Total Coliform	AOAC Modified	< 1000	<100	cfu/g
Total Plate Count	AOAC Modified	< 100000	55000	cfu/g
E.coli	PCR	None Detected	None Detected	cfu/10g
Salmonella spp.	PCR	None Detected	None Detected	cfu/10g
Yeasts & Molds	Biolumix		<10000	cfu/g

Report Approved by:


Joel Nelson
Laboratory Manager

*= Please review Client Specifications

Report Numbers that have been
revised or amended will include a
revision number.

This Certificate of Analysis shall not be reproduced, except in full, without written permission from the laboratory. This Certificate of Analysis results apply to the items tested. Further information is available, upon request, when needed for the interpretation of the test results.

This Certificate of Analysis is provided for the exclusive use of the addressee. The laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith.